

THESHAPING ATECHMEDHEALTHYEVENTFUTURE

Esra te Brinke – Membrane Surface Science



Twente membranes

DISCLOSURE SLIDE

No financial interests to disclose

Pharmaceuticals in surface water



National Institute for Public Health and the Environment, 2018



vend, maar goedkoop is het niet.

In de proefopstelling wordt maar

ontstekingsremmer diclofenac en De concentraties ongewenste stof- een klein deel van de water-het diabetesmedicijn metformine. fen overschrijden onder andere in stroom gezuiverd.

olzuivering Hengelo op Mathijs Oosterhuis, die het onder- dig om het oppervlaktewater

per onderzocht zijn? Feit is wel dat Twente een lastige regio is. Er tubantia.nl/abonnerer of bel 088-013 99 70 (lokaaltarief) wonen veel mensen op een kluit ie en dat veroorzaakt in combin: tie met weinig oppervlaktewate

ne oakcesnikowajni nezionanize, jed versichnijken ouzer manere in skloningezuretu. Verdacht zijn evenens de resten de Bornscheker met enige regist van antionceptepillen. In de maat de norm die Europa an die oogde richtlijnen in te voeren, Bornscheek, waar afvlawiter van soort soffen will stellen. Dat zeg zijn er kapitale investeringen noe **Pagine 66**2:

Moeilijk er weer uit

Membranes for water purification

- Membrane: a very fine filter with a porous structure
- Pumps needed to push water through: energy demand





Membranes for water purification

- Lower energy consumption: asymmetric porous structure
- Pharmaceuticals fit through the pores





Membrane coatings for pharmaceutical removal

- Dense material closing the smallest pores
- Water permeability + ~100x



Asymmetric membrane coatings for pharmaceutical removal

- Swollen material closing the smallest pores
- Few nanometer dense coating on top
- Water permeability 1 ~10x



swollen coating

dense coating

Asymmetric membrane coatings for pharmaceutical removal



Te Brinke et al. Appl. Mater. Today 2020, 100471

Future perspectives

- Application areas: local or central wastewater treatment, safe drinking water production
- Optimization of coating lifetime
- Pilot installation at Enschede wastewater treatment plant



Picture: Jaap Eijsker

Acknowledgements



Prof. Dr. Wiebe de Vos



Iske Achterhuis





Twente membranes

NX

filtration



